From:

SPHatfield [SPHatfield@environment-agency.gov.uk]

Sent:

25 June 2015 13:55

To:

Planning

Subject:

RE: Consultation Invite: Plot 6000, Hatfield Business Park, Hatfield

{-14613-0-}

Attachments:

External Consultation Checklist.pdf

Planning Application Reference: S6/2015/1061/MA

Site Address: Plot 6000, Hatfield Business Park, Hatfield

2 5 JUN 2015

PLANNING DEPARTMENT

In April 2015, the responsibility for surface water flood risk on sites over a hectare transferred from the Environment Agency to Lead Local Flood Authorities. Therefore please ensure you have consulted them on this proposal.

We cannot see any other reason why we have been sent this application to review. Please can you let me know if there is another criteria that we have missed.

I attach our consultation list. Please ensure everything sent to us complies with this list. If you could indicate what criteria is met when you consult us in future it would be really helpful.

Many thanks Dawn

Dawn Lloyd Sustainable Places Planning Advisor Environment Agency Hertfordshire and North London - Hatfield Team T: 01707 632392

We now charge for some of our planning advice. For more information please go to our website here. Please send your request for planning advice to SPHatfield@environmentagency.gov.uk .

We have now completed our move to GOV.UK - please see our new website at www.gov.uk/environment-agency

P please consider the environment - do you really need to print this email?

----Original Message----

From: DataSpace Consult [mailto:system@dataspaceconsult.co.uk]

Sent: 25 June 2015 11:15

To: SPHatfield

Subject: Consultation Invite: Plot 6000, Hatfield Business Park, Hatfield {-14613-0-}

Dear Natasha

You have been invited by Welwyn & Hatfield Borough Council(Development Management Officer) to consult on the following application using the DataSpace Consult Live system:

Application ID: S6/2015/1061/MA - Mr M Peacock Application Owner: Welwyn & Hatfield

Borough Council(Development Management Officer)

Applicant: Mr R Moxon

Location: Plot 6000, Hatfield Business Park, Hatfield Deadline Date: 10/07/2015 00:00:00

Description: Erection of a private healthcare facility (use Class C2), to include car/cycle parking, boundary treatment, landscaping, lighting and access

In order to participate in this consultation, please click the following link:

http://www.consultlive.co.uk/index.aspx?appID=14613

Kind Regards,

Welwyn & Hatfield Borough Council(Development Management Officer)

Any reply to this email will be logged against the consultation.

If you have problems with this link, please email the Consult-Live help team - helpdesk@resolutiondm.com quoting reference: EM009

Powered by DataSpace Consult Live www.consultlive.co.uk

Powered by devMail.Net (Free Version) - The Most Powerful .Net Email Component. devMail.Net is not the sender of this email nor responsible for the content. This message has been scanned and no issues discovered.

To report this email as SPAM, please forward it to spam@websense.com Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else.

We have checked this email and its attachments for viruses. But you should still check any attachment before opening it.

We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.

it to spam@websense.com

To report this email as SPAM, please forward



When to consult the Environment Agency

Advice for Local Planning Authorities

April 2015

This guidance informs Local Planning Authorities (LPAs) of the types of planning consultations where the Environment Agency would like to be consulted. It describes the categories of development that could potentially impact on the environment and includes those for which we are listed as a statutory consultee in the Development Management Procedure Order 2015 (DMPO) and current Government planning policy.

The guidance does not override the requirement to use the Environment Agency's <u>Flood Risk Standing</u> Advice (FRSA).

Pre-application and planning application consultations

Category	Description
Cemeteries	Development relating to using land as a cemetery, including extensions.
Coastal erosion	Development (excluding minor development) located within Coastal Change Management Areas, as defined by the LPA.
Environmental Impact Assessment (EIA)	Development requiring an EIA, including scoping opinions and the environmental statement.
Flood risk	Development, other than minor development or as defined in our FRSA, which is carried out on land:
	• within Flood Zone 2 or 3, or
	 in an area within <u>Flood Zone</u> 1 which has critical drainage problems as notified by the Environment Agency.
Groundwater protection	Potentially contaminating development ^{1 2} located in Source Protection Zones.
Hazardous waste/Control of Major Accident Hazard Regulations (COMAH) Sites	Development: of new establishments, or modifications to existing establishments which could have significant repercussions on major accident hazards, or
•	within 250 metres, where the siting or development would increase the risk or consequences of a major accident.
Intensive farming	Development of intensive animal farming (such as pig or poultry) that may require an Environmental Permit ³ .
Pollution from land contamination	Development on land where a previous use ¹ of the site may have caused contamination.
Mineral Extraction	Development involving or including mineral and mining operations and restoration schemes relating to such development.
Oil and fuels	Development for the purpose of refining or storing non-domestic oils and their by-products.
Refuse or waste	Development that includes: the storage or spreading of sludge or slurry, or the storage, transfer, process, treatment and or use of refuse of

· · · · · · · · · · · · · · · · · · ·	waste.
Non-mains drainage	Major development proposing to use non-mains foul drainage.
Works affecting a watercourse	Development involving carrying out works or operations in the bed of or within 20 metres of the top of the bank of a Main River as notified by the Environment Agency.
Discharge / variations of Conditions	Only consultations where the Environment Agency has requested the condition be attached to the planning permission.
Planning appeals –	Only appeals related to an Environment Agency objection or recommended condition.

Strategic Consultations

Category	Description
Local Plans	Development Plan Documents, including documents prepared individually or in co-operation with other LPAs.
Environmental evidence documents	 Including, but should not be limited to: Water Cycle Strategy. Strategic Flood Risk Assessment. Surface Water Management Plan. Strategic Infrastructure Plan. Environmental or Green Infrastructure Study. Strategic Housing Land Availability Assessment.
Strategic Environmental Assessment (SEA)/Sustainability Assessment (SA) of local plans Other strategic planning allocations	SEA/SA of local plan documents, including screening, scoping, draft and final report and post adoption statement. Including, but should not be limited to enterprise zones, garden cities and other strategic growth proposals such as urban expansions.

Endnotes -

¹ - As defined on gov.uk, <u>Land contamination DoE industry Profiles</u>

² - This type of development also includes the storage of potentially contaminating substances as defined in DoE

industry profiles

3 - An environmental permit is required for the development of or expanding of, an existing facility with more than 750 sows or 2,000 production pigs over 30kg or 40,000 poultry