

	4 5 6 7 8
	2 3 4
<u> </u>	1:50
 Pitch roof to match existing New double glazed door External finish to match existing 	All dimensions verified on site. All work to comply with British Standards, Code of practice. All internal works to be in accordance with client instructions. All external surfaces to match existing. All work to be to the satisfaction of the local authority-building surveyor. Builder to serve building notice and comply fully in all respects. Owner responsible for compliance with 1.Party Wall etc Act 1996. 2. Thames water Build Over Agreement. Builder to ensure all work in compliance with Build Over agreement as approved by Thames Water All proprietary materials to manufacturers recommendations Works to boiler/Gas to be carried out by Gas Safe registered installer and to Gas Safe recommendations Works to boiler/Gas to be carried out by Gas Safe registered installer and to Gas Safe recommendations Works to comments of BS 7671:2001 (2004), the 17th edition Wiring Guidance and Building Regulation Part P (Electrical Safety) by a competent person registered with an electrical self-certification scheme, (BRE, BSI, ELECSA, NAPIT, or NICEIC), authorised by the Secretary of State The competent person is to send a self- certification certificate to the Local Authority Building Control Departement within 30 days of completion of the electrical works. The client must receive both a copy of the self-certification certification as S7671:2001 (2004) Electrical Installation Test Certificate and forward copies to the Local Authority Building Control Dept. DAPER SIZE A3.
5500	
2 2 2	DATE REVISION
$\begin{array}{c c} & & & & \\ & & & \\ \hline \\ & \\ & \\ \hline \\ & \\ \\ & \\ \\ \\ \\$	COPYRIGHT: PLANS 4 U LTD. 15 NORTH PARADE NORTH ROAD MIDDX SOUTHALL UB1 2LF TEL: 07775 900555 E-MAIL: planningpermission1@hotmail.com
	JOB TITLE: 8 HARPSFIELD BROADWAY COMET WAY HATFIELD
N	DRAWING TITLE: PROPOSED ELEVATIONS AND PROPOSED SECTION.
	SCALE : 1:100
	DATE: 19 NOV.'2018 DRAWN BY:
	DRG. NO. REV.
	18/8/HBCWH/103 B