

Main Kitchen Extract
Fan – Helios GBD 630 4/4 (3phase, 11A)
Attenuators – 2 of 630Ø Melinex lined, 630 Long (1 x bch side of fan)
2 EA KITCHAVENT 2100 - 2 Stage - Odour Control Cassing
This system can be operated at various contract 5 mins * 0.1 second Duty Air Flow = 1.65m3/s, 90 Clean 780Pa, Duty= 3678Pa
Approx Dimensions 680H x 975W x 11820mm (Including 40mm External Flanges)
Access Both Sides
Welded Construction
Painted Finish
Internal Unit (Waterproof Roof Available)
Air Filters Required 3x General Purpose Bag Filter, F5 to EN779 : 4/0624
3x Extra Duty Activated Carbon Filter G4S8 (1612x606) Approx Unit Weight (incl Filters) = 230kg
Noise:
Maximum operating temperature should be no more than 40 Degrees
Centigrade, and Humidity should be no more than 80% RH

Main Duct Size – 700 x 700 with 3 x take off points from top of canopy at 450 x 350mm
External Weathered Louver size – 1300 x 1300mm (brushed aluminium finish)

Main Kitchen Intake
Fan – Helios 560 GBD 4/4 (3phase, 7A)
Filter Box – 800 x 800mm To house 4 x panel filters
Main Duct Size – 560Ø To have 3 x take off points from top of canopy @ 400 x 400mm
Louvers to front of canopy x 6
External Weathered Louver size – 1150 x 1150mm (brushed aluminium finish)

Pizza Extract
Fan – MBD 200 Megabox centrifugal fan (3Phase, 3A)
Ductwork Stainless steel 200Ø spiral twin wall lined
Size of external louver 400 x400mm

Nova Design Associates LTD
web: novadesignltd.co.uk
e-mail: giovanni@novadesignltd.co.uk
19 mora way London nw7 3au
tel: +44 020 8964 1911

This drawing represents a performance guide upon which the contractor/subcontractor must base his/her working drawings & details. Include all necessary tolerances (24mm) prior to manufacture and installation of counters, fascias etc.

Contractor has must undertake a full survey of the area to establish all dimensions and ensure accurate setting out.

Advise on suitability of all details shown to ensure structural stability, ease and economy of construction.

Notes:

All copyrights retained.

All information contained in this drawing remains the property of Nova Design Associates Ltd and neither the drawing nor any part thereof may be reproduced or disclosed to others without the prior written consent of Nova Design Associates Ltd.

No Responsibility is accepted for unauthorised use.

All information is subject to statutory consents, rights of light and survey.

Do Not scale from drawings - Use figured dimensions only and verify on site.

Project or name:
Gaz Giambrone
Proposed Extraction System

Address or location:
Cuffley
Hertfordshire

Scale:
1:50 (A1)

Drawing No: **160421/GI** Rev.: **A**

Date:
21st April 2016

Drawing By:
Giovanni Insalaco