



METHOD:-

- 1) TRIM EXISTING HOLE IN WALL TO MAKE RECTANGULAR OPENING (APPROX 1200 X 1600). CUT VERTICAL SIDES BACK TO EXPOSE 50% OF EXISTING STUD WIDTH.
- 2) SECURE EXISTING LATHE TO STUD WITH MECHANICAL FIXING (SCREW).
- 3) FACE FIX 15MM THICK SECTION OF WOOD FIBRE BOARD TO EXISTING STUDS WITH SCREWS.
- 4) FINISH WITH LIME PLASTER (5MM)
- 5) AT ALL TIMES ENSURE THIS WORK IS SUPERVISED TO PREVENT ANY DAMAGE TO PAINTED WALL

No	REVISION	DATE
-	--	--
-	----	----
-	---	---

No	REVISION	DATE
----	----------	------

Hog Group Plc, 5th Floor,
New Loom House, 101
Back Church Lane,
London, E1 1LU

CLIENT

PROJECT
2020/1028/LB
1-5 PARK STREET

DETAIL
PROPOSED WALL INFILL

SCALE	1.10@A1	DRAWN
-------	---------	-------

DATE	09.07.20	APPROVED
------	----------	----------

FILE REF 200709 PLASTER INFILL ELEVATION.dwg
DATE PLOTTED
PLOT No

JOB NO.	DRAWING NO.	REVISION
	SK01	-

delivering your vision

HOG Group, 5th Floor New Loom House,
101 Black Church Lane, London, E1 1LU.
Tel: +44 (0)207 480 1300 Email: sales@hogplc.com
www.hoginteriors.com