## **Development Management**

Welwyn Hatfield Borough Council

The Campus, Welwyn Garden City, Herts AL8 6AE
T: 01707 357000 F: 01707 357255 E: planning@welhat.gov.uk www.welhat.gov.uk



## Application for Planning Permission

## Town and Country Planning Act 1990 (as amended)

## Publication of applications on planning authority websites

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

Site Location	
Disclaimer: We can only make recommendation	ns based on the answers given in the questions.
If you cannot provide a postcode, the description help locate the site - for example "field to the Nor	of site location must be completed. Please provide the most accurate site description you can, to rth of the Post Office".
Number	48
Suffix	
Property Name	
Address Line 1	
The Runway	
Address Line 2	
Address Line 3	
Hertfordshire	
Town/city	
Hatfield	
Postcode	
AL10 9GL	
Description of site location must	be completed if postcode is not known:
Easting (x)	Northing (y)
520753	209155
Description	

Applicant Details
Name/Company
Title
First name
Lina
Surname
Chirandura
Company Name
Savannah Lodge Ltd
Address
Address line 1
65 Fir Park
Address line 2
Address line 3
Town/City
Harlow
County
Country
Postcode
CU19 4JU
Are you an agent acting on behalf of the applicant?
○ No
Contact Details
Primary number

Secondary number	
Fax number	
Email address	
***** REDACTED *****	
Agent Details	
Name/Company	
Title	
First name	
Adrian	
Surname	
Rose	
Company Name	
Rose Consulting	
Address	
Address line 1	
16 Rhodesia Avenue	
Address line 2	
Address line 3	
Town/City	
Halifax	
County	
Country	
Postcode	
HX30PB	

Contact Details	
Primary number	
***** REDACTED *****	
Secondary number	
Fax number	
Email address	
***** REDACTED *****	
Site Area	
What is the measurement of the site area? (numeric characters only).	
120.00	
Unit	
Sq. metres	
Description of the Proposal	
Description of the Proposal  Please note in regard to:	
Please note in regard to:  • Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one	
Please note in regard to:  • Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government planning	
<ul> <li>Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. <u>View government planninguidance on fire statements</u> or <u>access the fire statement template and guidance</u>.</li> <li>Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple</li> </ul>	9
<ul> <li>Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government planning guidance on fire statements or access the fire statement template and guidance.</li> <li>Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.</li> <li>Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be eligible</li> </ul>	ase
<ul> <li>Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. <u>View government planninguidance on fire statements</u> or access the fire statement template and guidance.</li> <li>Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.</li> </ul>	ase
<ul> <li>Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government planning guidance on fire statements or access the fire statement template and guidance.</li> <li>Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.</li> <li>Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be eligible</li> </ul>	ase
<ul> <li>Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government planning guidance on fire statements or access the fire statement template and guidance.</li> <li>Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.</li> <li>Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be eligible faster determination timeframes. See help for further details or view government planning guidance on determination periods.</li> </ul>	ase
<ul> <li>Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government planning guidance on fire statements or access the fire statement template and guidance.</li> <li>Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.</li> <li>Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be eligible faster determination timeframes. See help for further details or view government planning guidance on determination periods.</li> <li>Description</li> <li>Please describe details of the proposed development or works including any change of use</li> <li>Application for the change of use of use of a dwelling (C3a) to a children's home for a maximum of four children, with three carers, two care</li> </ul>	ase for
<ul> <li>Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government planning guidance on fire statements or access the fire statement template and guidance.</li> <li>Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.</li> <li>Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be eligible faster determination timeframes. See help for further details or view government planning guidance on determination periods.</li> <li>Description</li> </ul>	ase for
<ul> <li>Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government planning guidance on fire statements or access the fire statement template and guidance.</li> <li>Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.</li> <li>Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be eligible faster determination timeframes. See help for further details or view government planning guidance on determination periods.</li> <li>Description</li> <li>Please describe details of the proposed development or works including any change of use</li> <li>Application for the change of use of use of a dwelling (C3a) to a children's home for a maximum of four children, with three carers, two care</li> </ul>	ase for
Please note in regard to:  Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government plannin guidance on fire statements or access the fire statement template and guidance.  Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.  Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be eligible faster determination timeframes. See help for further details or view government planning guidance on determination periods.  Description  Please describe details of the proposed development or works including any change of use  Application for the change of use of use of a dwelling (C3a) to a children's home for a maximum of four children, with three carers, two care of whom sleep overnight, working on a rota basis (C2)  Has the work or change of use already started?  Yes	ase for
Please note in regard to:  Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government planning guidance on fire statements or access the fire statement template and guidance.  Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.  Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be eligible faster determination timeframes. See help for further details or view government planning guidance on determination periods.  Description  Please describe details of the proposed development or works including any change of use  Application for the change of use of use of a dwelling (C3a) to a children's home for a maximum of four children, with three carers, two car of whom sleep overnight, working on a rota basis (C2)  Has the work or change of use already started?	ase for
Please note in regard to:  Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government plannin guidance on fire statements or access the fire statement template and guidance.  Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.  Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be eligible faster determination timeframes. See help for further details or view government planning guidance on determination periods.  Description  Please describe details of the proposed development or works including any change of use  Application for the change of use of use of a dwelling (C3a) to a children's home for a maximum of four children, with three carers, two care of whom sleep overnight, working on a rota basis (C2)  Has the work or change of use already started?  Yes	ase for
Please note in regard to:  Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government plannin guidance on fire statements or access the fire statement template and guidance.  Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.  Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be eligible faster determination timeframes. See help for further details or view government planning guidance on determination periods.  Description  Please describe details of the proposed development or works including any change of use  Application for the change of use of use of a dwelling (C3a) to a children's home for a maximum of four children, with three carers, two care of whom sleep overnight, working on a rota basis (C2)  Has the work or change of use already started?  Yes	ase for
Please note in regard to:  • Fire Statements - From 1 August 2021, planning applications for buildings of over 18 metres (or 7 stories) tall containing more than one dwelling will require a 'Fire Statement' for the application to be considered valid. There are some exemptions. View government planning guidance on fire statements or access the fire statement template and guidance.  • Permission In Principle - If you are applying for Technical Details Consent on a site that has been granted Permission In Principle, ple include the relevant details in the description below.  • Public Service Infrastructure - From 1 August 2021, applications for certain public service infrastructure developments will be eligible faster determination timeframes. See help for further details or view government planning guidance on determination periods.  Description  Please describe details of the proposed development or works including any change of use  Application for the change of use of use of a dwelling (C3a) to a children's home for a maximum of four children, with three carers, two car of whom sleep overnight, working on a rota basis (C2)  Has the work or change of use already started?  Yes  No	ase for

Is the site currently vacant?
<ul><li>○ Yes</li><li>⊙ No</li></ul>
Does the proposal involve any of the following? If Yes, you will need to submit an appropriate contamination assessment with your application.
Land which is known to be contaminated
<ul><li>○ Yes</li><li>⊙ No</li></ul>
Land where contamination is suspected for all or part of the site
<ul><li>○ Yes</li><li>⊙ No</li></ul>
A proposed use that would be particularly vulnerable to the presence of contamination  ○ Yes  ○ No
Materials
Does the proposed development require any materials to be used externally?
<ul><li>○ Yes</li><li>⊙ No</li></ul>
Pedestrian and Vehicle Access, Roads and Rights of Way
redestrial and vehicle Access, roads and rights of way
Is a new or altered vehicular access proposed to or from the public highway?
Is a new or altered vehicular access proposed to or from the public highway?  O Yes
Is a new or altered vehicular access proposed to or from the public highway?  ○ Yes  ○ No
Is a new or altered vehicular access proposed to or from the public highway?  ○ Yes  ○ No  Is a new or altered pedestrian access proposed to or from the public highway?  ○ Yes
Is a new or altered vehicular access proposed to or from the public highway?  ○ Yes  ○ No  Is a new or altered pedestrian access proposed to or from the public highway?  ○ Yes  ○ No
Is a new or altered vehicular access proposed to or from the public highway?  ○ Yes ② No  Is a new or altered pedestrian access proposed to or from the public highway?  ○ Yes ③ No  Are there any new public roads to be provided within the site?  ○ Yes ② No  Are there any new public rights of way to be provided within or adjacent to the site?
Is a new or altered vehicular access proposed to or from the public highway?  ○ Yes  ○ No  Is a new or altered pedestrian access proposed to or from the public highway?  ○ Yes  ○ No  Are there any new public roads to be provided within the site?  ○ Yes  ○ No
Is a new or altered vehicular access proposed to or from the public highway?  Yes  No  Is a new or altered pedestrian access proposed to or from the public highway?  Yes  No  Are there any new public roads to be provided within the site?  Yes  No  Are there any new public rights of way to be provided within or adjacent to the site?  Yes  No  Do the proposals require any diversions/extinguishments and/or creation of rights of way?
Is a new or altered vehicular access proposed to or from the public highway?  ○ Yes ② No  Is a new or altered pedestrian access proposed to or from the public highway?  ○ Yes ② No  Are there any new public roads to be provided within the site?  ○ Yes ② No  Are there any new public rights of way to be provided within or adjacent to the site?  ○ Yes ② No
Is a new or altered vehicular access proposed to or from the public highway?  ○ Yes ○ No  Is a new or altered pedestrian access proposed to or from the public highway?  ○ Yes ○ No  Are there any new public roads to be provided within the site?  ○ Yes ○ No  Are there any new public rights of way to be provided within or adjacent to the site?  ○ Yes ○ No  Do the proposals require any diversions/extinguishments and/or creation of rights of way?  ○ Yes
Is a new or altered vehicular access proposed to or from the public highway?  ○ Yes ○ No  Is a new or altered pedestrian access proposed to or from the public highway?  ○ Yes ○ No  Are there any new public roads to be provided within the site?  ○ Yes ○ No  Are there any new public rights of way to be provided within or adjacent to the site?  ○ Yes ○ No  Do the proposals require any diversions/extinguishments and/or creation of rights of way?  ○ Yes
Is a new or altered vehicular access proposed to or from the public highway?  Yes  No  Is a new or altered pedestrian access proposed to or from the public highway?  Yes  No  Are there any new public roads to be provided within the site?  Yes  No  Are there any new public rights of way to be provided within or adjacent to the site?  Yes  No  Do the proposals require any diversions/extinguishments and/or creation of rights of way?  Yes  No
Is a new or altered vehicular access proposed to or from the public highway?  Yes  No  Is a new or altered pedestrian access proposed to or from the public highway?  Yes  No  Are there any new public roads to be provided within the site?  Yes  No  Are there any new public rights of way to be provided within or adjacent to the site?  Yes  No  Do the proposals require any diversions/extinguishments and/or creation of rights of way?  Yes  No

Please provide information on the existing and proposed number of on-site parking spaces
Vehicle Type: Cars Existing number of spaces: 4 Total proposed (including spaces retained): 4 Difference in spaces: 0
Trees and Hedges
Are there trees or hedges on the proposed development site?
<ul><li>○ Yes</li><li>⊙ No</li></ul>
And/or: Are there trees or hedges on land adjacent to the proposed development site that could influence the development or might be important as part of the local landscape character?  O Yes  No
If Yes to either or both of the above, you may need to provide a full tree survey, at the discretion of the local planning authority. If a tree survey is required, this and the accompanying plan should be submitted alongside the application. The local planning authority should make clear on its website what the survey should contain, in accordance with the current 'BS5837: Trees in relation to design, demolition and construction - Recommendations'.
Assessment of Flood Risk
Is the site within an area at risk of flooding? (Check the location on the Government's <u>Flood map for planning</u> . You should also refer to national <u>standing advice</u> and your local planning authority requirements for information as necessary.)
<ul><li>○ Yes</li><li>⊙ No</li></ul>
Is your proposal within 20 metres of a watercourse (e.g. river, stream or beck)?  ○ Yes  ⊙ No
Will the proposal increase the flood risk elsewhere?  ○ Yes  ○ No
How will surface water be disposed of?
☐ Sustainable drainage system
Existing water course
☐ Existing water course ☐ Soakaway

Is there a reasonable likelihood of the following being affected adversely or conserved and enhanced within the application site, or on land adjacent to or near the application site?
To assist in answering this question correctly, please refer to the help text which provides guidance on determining if any important biodiversity or geological conservation features may be present or nearby; and whether they are likely to be affected by the proposals.
a) Protected and priority species
<ul><li>○ Yes, on the development site</li><li>○ Yes, on land adjacent to or near the proposed development</li><li>⊙ No</li></ul>
b) Designated sites, important habitats or other biodiversity features
<ul><li>○ Yes, on the development site</li><li>○ Yes, on land adjacent to or near the proposed development</li><li>⊙ No</li></ul>
c) Features of geological conservation importance
<ul><li>○ Yes, on the development site</li><li>○ Yes, on land adjacent to or near the proposed development</li><li>⊙ No</li></ul>
Supporting information requirements
Where a development proposal is likely to affect features of biodiversity or geological conservation interest, you will need to submit, with the application, sufficient information and assessments to allow the local planning authority to determine the proposal.
Failure to submit all information required will result in your application being deemed invalid. It will not be considered valid until all information required by the local planning authority has been submitted.
Your local planning authority will be able to advise on the content of any assessments that may be required.
Foul Sewage
Please state how foul sewage is to be disposed of:
Please state how foul sewage is to be disposed of:  Mains sewer Septic tank Package treatment plant Cess pit Other Unknown
Please state how foul sewage is to be disposed of:  Mains sewer Septic tank Package treatment plant Cess pit Other
Please state how foul sewage is to be disposed of:  ☑ Mains sewer ☐ Septic tank ☐ Package treatment plant ☐ Cess pit ☐ Other ☐ Unknown  Are you proposing to connect to the existing drainage system? ② Yes ⑤ No
Please state how foul sewage is to be disposed of:  Mains sewer Septic tank Package treatment plant Cess pit Other Unknown  Are you proposing to connect to the existing drainage system?  Yes No Unknown
Please state how foul sewage is to be disposed of:  Mains sewer Septic tank Package treatment plant Cess pit Other Unknown  Are you proposing to connect to the existing drainage system?  Yes No Unknown  If Yes, please include the details of the existing system on the application drawings and state the plan(s)/drawing(s) references
Please state how foul sewage is to be disposed of:  Mains sewer Septic tank Package treatment plant Cess pit Other Unknown  Are you proposing to connect to the existing drainage system?  Yes No Unknown  If Yes, please include the details of the existing system on the application drawings and state the plan(s)/drawing(s) references
Please state how foul sewage is to be disposed of:  Mains sewer Septic tank Package treatment plant Cess pit Other Unknown Are you proposing to connect to the existing drainage system? Yes No Unknown If Yes, please include the details of the existing system on the application drawings and state the plan(s)/drawing(s) references  As existing  Waste Storage and Collection Do the plans incorporate areas to store and aid the collection of waste?
Please state how foul sewage is to be disposed of:  Mains sewer Septic tank Package treatment plant Cess pit Other Unknown  Are you proposing to connect to the existing drainage system? Yes No Unknown  If Yes, please include the details of the existing system on the application drawings and state the plan(s)/drawing(s) references  As existing  Waste Storage and Collection

**Biodiversity and Geological Conservation** 

Have arrangements been mad  ○ Yes  ⊙ No	de for the separate storage and collection	on of recyclable waste?	
Trade Effluent  Does the proposal involve the  ○ Yes  ⊙ No	need to dispose of trade effluents or tra	ade waste?	
Residential/Dwelling  Does your proposal include the   Yes  No	<b>ng Units</b> le gain, loss or change of use of resider	ntial units?	
Does your proposal involve the Note that 'non-residential' in the Yes No Please add details of the Use Following changes to Use Conot be used in most cases. It these or any 'Sui Generis' use	Classes on 1 September 2020: The lis Also, the list does not include the ne	sidential floorspace?	2. To provide details in relation to
Gross internal floorspace 120 Total gross new internal f	oorspace (square metres):  e to be lost by change of use or demo	ges of use) (square metres):	
Totals Existing gross internal floorspace (square metres)	Gross internal floorspace to be lost by change of use or demolition (square metres)	Total gross new internal floorspace proposed (including changes of use) (square metres)	Net additional gross internal floorspace following development (square metres)
Loss or gain of rooms			

For hotels, residential institutions and hostels please additionally indicate the loss or gain of rooms:
Employment
Are there any existing employees on the site or will the proposed development increase or decrease the number of employees?
○ No
Existing Employees
Please complete the following information regarding existing employees:
Full-time
0
Part-time
0
Total full-time equivalent
0.00
Proposed Employees
If known, please complete the following information regarding proposed employees:
Full-time
3
Part-time
0
Total full-time equivalent
3.00
Hours of Opening
Are Hours of Opening relevant to this proposal?
○ Yes
⊙ No
Industrial or Commercial Processes and Machinery
Does this proposal involve the carrying out of industrial or commercial activities and processes?
○ Yes ⊙ No
Is the proposal for a waste management development?
Yes
⊙ No

Hazardous Substances
Does the proposal involve the use or storage of Hazardous Substances?
○ Yes ⊙ No
Site Visit
Can the site be seen from a public road, public footpath, bridleway or other public land?
<ul><li>Yes</li><li>No</li></ul>
If the planning authority needs to make an appointment to carry out a site visit, whom should they contact?
○ The agent
<ul><li>         ⊙ The applicant         ⊝ Other person     </li></ul>
Pre-application Advice
Has assistance or prior advice been sought from the local authority about this application?
<ul><li>Yes</li><li>No</li></ul>
Authority Employee/Member
With respect to the Authority, is the applicant and/or agent one of the following:
(a) a member of staff (b) an elected member
(c) related to a member of staff (d) related to an elected member
It is an important principle of decision-making that the process is open and transparent.
For the purposes of this question, "related to" means related, by birth or otherwise, closely enough that a fair-minded and informed observer, having considered the facts, would conclude that there was bias on the part of the decision-maker in the Local Planning Authority.
Do any of the above statements apply?
○ Yes ⊙ No
Ownership Certificates and Agricultural Land Declaration
Certificates under Article 14 - Town and Country Planning (Development Management Procedure)
(England) Order 2015 (as amended)
Please answer the following questions to determine which Certificate of Ownership you need to complete: A, B, C or D.

<ul> <li>Yes</li> <li>No</li> </ul>
Can you give appropriate notice to all the other owners/agricultural tenants? (Select 'Yes' if there are no other owners/agricultural tenants)  ② Yes  ○ No
Certificate Of Ownership - Certificate B
I certify/ The applicant certifies that:
<ul> <li>✓ I have/The applicant has given the requisite notice to everyone else (as listed below) who, on the day 21 days before the date of this application, was the owner* and/or agricultural tenant** of any part of the land or building to which this application relates; or</li> <li>○ The applicant is the sole owner of all the land or buildings to which this application relates and there are no other owners* and/or agricultural tenants**.</li> </ul>
* "owner" is a person with a freehold interest or leasehold interest with at least 7 years left to run.  ** "agricultural tenant" has the meaning given in section 65(8) of the Town and Country Planning Act 1990
Owner/Agricultural Tenant
Name of Owner/Agricultural Tenant:  ***** REDACTED ******
House name:
Number:
48
Suffix: Address line 1:
48 The Runway,
Address Line 2:
Town/City: Hatfield
Postcode: AL10 9GL
Date notice served (DD/MM/YYYY): 30/04/2023
Person Family Name:
Person Role
<ul><li>○ The Applicant</li><li>⊙ The Agent</li></ul>
Title
First Name
Adrian
Surname
Rose
Declaration Date
30/04/2023

✓ Declaration made
Declaration
I / We hereby apply for Full planning permission as described in this form and accompanying plans/drawings and additional information. I / We confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine options of the persons giving them. I / We also accept that: Once submitted, this information will be transmitted to the Local Planning Authority and, once validated by them, be made available as part of a public register and on the authority's website; our system will automatically generate and send you emails in regard to the submission of this application.
✓ I / We agree to the outlined declaration
Signed
Adrian Rose
Date
08/05/2023