

WELWYN HATFIELD BOROUGH COUNCIL EXECUTIVE DIRECTOR - PLANNING, PUBLIC PROTECTION AND GOVERNANCE

DELEGATED REPORT

Application No: 6/2018/0093/LAWP

Location: 61 Northaw Road West Northaw Potters Bar EN6 4NP

Proposal: Certificate of lawfulness for the installation of rear dormer and two

front roof lights to facilitate loft conversion and replacement of rear

windows

Officer: Ms Lucy Hale

Recommendation: Granted

6/2018/0093/LAWP

Context			
Application	Certificate of lawfulness for the installation of rear dormer and two front roof		
Description	lights to facilitate loft conversion and replacement of rear windows.		
Relevant planning	Application Number: S6/2000/0924/FP Decision: Granted Decision		
History	Date: 14 August 2000		
	Proposal: FORMATION OF NEW ENTRANCE AND VEHICLE CROSSOVER		

The main issues are:

Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class B (consisting of an addition or alteration to its roof) of the Town and Country Planning (General Permitted Development) (England) Order 2015 as amended

1 / (3 /		
	Yes /	То
	No	be
		PD
Have permitted development rights been removed	N	N
Is the property a dwellinghouse	Υ	Υ
Is it detached or semi-detached?	N	
Is it terraced?	Υ	
Is it within a conservation area	N	
B.1 (a)Has permission to use the dwellinghouse as a dwellinghouse been granted	N	N
only by virtue of Class M, N, P or Q of Part 3 of this Schedule (changes of use)?		
(b) would any part of the dwellinghouse, as a result of the works, exceed the	N	N
height of the highest part of the existing roof		
(c) would any part of the dwellinghouse, as a result of the works, extend beyond	N	N
the plane of any existing roof slope which forms the principal elevation of the		
dwellinghouse and fronts a highway		
(d) would the cubic content of the resulting roof space exceed the cubic content of	N	N
the original roof space by more than:-		
(i) 40 cubic metres in the case of a terrace house, or		
(ii) 50 cubic metres in any other case		

Calculation in here

Terrace house – 40 cubic metre allowance

(i) the construction or provision of a veranda, balcony or raised platform, or (ii) the installation, alteration or replacement of a chimney, flue or soil and vent pipe (f) is the dwellinghouse on article 2(3) land (conservation area) B.2 Development is permitted by Class B subject to the following conditions:- (a) the materials used in any exterior work shall be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse (b) is the enlargement constructed so that- (i) other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension — (aa) the eaves of the original roof are maintained or reinstated: and (bb) the edge of the enlargement closest to the eaves of the original roof shall, so far as practicable, be not less than 20 centimetres from the eaves, measured along the roof slope from the outside edge of the eaves; and (ii) other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse. (c) any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse shall be — (i) obscure-glazed, and (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed B.3 For the purposes of Class B "resulting roof space" means the roof space as enlarged, taking into account any enlargement to the original roof space, whether permitted by this class or not (refer (c) above. B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to	(i) the construction or provision of a veranda, balcony or raised platform, or (ii) the installation, alteration or replacement of a chimney, flue or soil and vent pipe (f) is the dwellinghouse on article 2(3) land (conservation area) 8.2 Development is permitted by Class B subject to the following conditions:- (a) the materials used in any exterior work shall be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse (b) is the enlargement constructed so that- (i) other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension — (aa) the eaves of the original roof are maintained or reinstated: and (bb) the edge of the enlargement closest to the eaves of the original roof shall, so far as practicable, be not less than 20 centimetres from the eaves, measured along the roof slope from the outside edge of the eaves; and (ii) other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse. (c) any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse shall be — (i) obscure-glazed, and (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed 8.3 For the purposes of Class B "resulting roof space" means the roof space, whether permitted by this class or not (refer (c) above. 8.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original roof bards and other minor roof details overhanging the eternal wall of the original Position of the configuration of the configuration of the configuration of the configuration of the original roof; (b) would the alteration to the roof of the Town and Country Planning (General	2.5 (h) x 3.4 (d) x 5.5 (l)/ 2 = 23.38 cubic metres	l NI	N.I.
(f) is the dwellinghouse on article 2(3) land (conservation area) 8.2 Development is permitted by Class B subject to the following conditions:- (a) the materials used in any exterior work shall be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse (b) is the enlargement constructed so that- (i) other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension — (aa) the eaves of the original roof are maintained or reinstated: and (bb) the edge of the enlargement closest to the eaves of the original roof shall, so far as practicable, be not less than 20 centimetres from the eaves, measured along the roof slope from the outside dege of the eaves; and (ii) other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse. (c) any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse shall be — (i) obscure-glazed, and (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed 8.3 For the purposes of Class B "resulting roof space" means the roof space as enlarged, taking into account any enlargement to the original roof space, whether permitted by this class or not (refer (c) above. 9.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development to the original roof; (c) would it result in the highest pa	(f) is the dwellinghouse on article 2(3) land (conservation area) 8.2 Development is permitted by Class B subject to the following conditions:- (a) the materials used in any exterior work shall be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse (b) is the enlargement constructed so that- (i) other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension — (aa) the eaves of the original roof are maintained or reinstated: and (bb) the edge of the enlargement closest to the eaves of the original roof shall, so far as practicable, be not less than 20 centimetres from the eaves, measured along the roof slope from the outside edge of the eaves; and (ii) other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse. (c) any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse shall be — (i) obscure-glazed, and (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed 8.3 For the purposes of Class B "resulting roof space" means the roof space as enlarged, taking into account any enlargement to the original roof space, whether permitted by this class or not (refer (c) above. 8.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof, or	or	N	N
B.2 Development is permitted by Class B subject to the following conditions: (a) the materials used in any exterior work shall be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse (b) is the enlargement constructed so that- (i) other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension — (aa) the eaves of the original roof are maintained or reinstated: and (bb) the edge of the enlargement closest to the eaves of the original roof shall, so far as practicable, be not less than 20 centimetres from the eaves, measured along the roof slope from the outside edge of the eaves; and (ii) other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse. (c) any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse shall be — (i) obscure-glazed, and (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed B.3 For the purposes of Class B "resulting roof space" means the roof space as enlarged, taking into account any enlargement to the original roof space, whether permitted by this class or not (refer (c) above. B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development (England) Order 2015 as amended Development (England) order with the external surface of the original roof; (o) would i	(a) the materials used in any exterior work shall be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse (b) is the enlargement constructed so that- (i) other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension — (aa) the eaves of the original roof are maintained or reinstated: and (bb) the edge of the enlargement closest to the eaves of the original roof shall, so far as practicable, be not less than 20 centimetres from the eaves, measured along the roof slope from the outside edge of the eaves; and (ii) other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse. (c) any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse shall be — (i) obscure-glazed, and (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed B.3 For the purposes of Class B "resulting roof space" means the roof space as enlarged, taking into account any enlargement to the original roof space, whether permitted by this class or not (refer (c) above. B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof; (c) would it consist of or include— (i) the installation, alteratio			
(a) the materials used in any exterior work shall be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse (b) is the enlargement constructed so that- (i) other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension — (aa) the eaves of the original roof are maintained or reinstated: and (bb) the edge of the enlargement closest to the eaves of the original roof shall, so far as practicable, be not less than 20 centimetres from the eaves, measured along the roof slope from the outside edge of the eaves; and (ii) other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse. (c) any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse shall be — (i) obscure-glazed, and (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed B.3 For the purposes of Class B "resulting roof space" means the roof space as enlarged, taking into account any enlargement to the original roof space, whether permitted by this class or not (refer (c) above. B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would it esuit in the highest part of the alteration being higher than the highest part of the original roof; or (ii) the installation, alteration or replacement of a chimney	(a) the materials used in any exterior work shall be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse (b) is the enlargement constructed so that- (i) other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension — (aa) the eaves of the original roof are maintained or reinstated: and (bb) the edge of the enlargement closest to the eaves of the original roof shall, so far as practicable, be not less than 20 centimetres from the eaves, measured along the roof slope from the outside edge of the eaves; and (ii) other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse. (c) any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse shall be — (i) obscure-glazed, and (ii) onn-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed B.3 For the purposes of Class B "resulting roof space" means the roof space as enlarged, taking into account any enlargement to the original roof space, whether permitted by this class or not (refer (c) above. B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would it esuit in the highest part of the alteration being higher than the highest part of the original roof; or (ii) the installation, alteration or replacement of sola		N	N
enlarged, taking into account any enlargement to the original roof space, whether permitted by this class or not (refer (c) above. B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; or (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	enlarged, taking into account any enlargement to the original roof space, whether permitted by this class or not (refer (c) above. B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	 (a) the materials used in any exterior work shall be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse (b) is the enlargement constructed so that- (i) other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension – (aa) the eaves of the original roof are maintained or reinstated: and (bb) the edge of the enlargement closest to the eaves of the original roof shall, so far as practicable, be not less than 20 centimetres from the eaves, measured along the roof slope from the outside edge of the eaves; and (ii) other than in the case of an enlargement which joins the original roof to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original dwellinghouse. (c) any window inserted on a wall or roof slope forming a side elevation of the dwellinghouse shall be – (i) obscure-glazed, and (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed 	Y Y	
B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.			
B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original dwellinghouse are not be considered part of the development. The main issues are: Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.			
Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	Whether the proposed works are permitted development by virtue of Schedule 2, Part 1, Class C (any other alteration to the roof) of the Town and Country Planning (General Development) (England) Order 2015 as amended Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	B.4 For the purposes of paragraph B.2(b)(ii), roof tiles, guttering, fascias, barge boards and other minor roof details overhanging the eternal wall of the original		
Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	Development not permitted by Class C (b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	Whether the proposed works are permitted development by virtue of Schedul Class C (any other alteration to the roof) of the Town and Country Planning (C		: 1,
(b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	(b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof; (c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	Development not permitted by Class C		
(c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	(c) would it result in the highest part of the alteration being higher than the highest part of the original roof; or (d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	(b) would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external	N	N
(d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	(d) would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	(c) would it result in the highest part of the alteration being higher than the highest	N	N
(i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	(i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment.	•		
		(i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe, or (ii) the installation, alteration or replacement of solar photovoltaics or solar	N	N
f land aloke and a	Conditions			

located on a roof slope forming a side elevation of the dwellinghouse must be—	
(a) obscure-glazed; and	
(b) non-opening unless the parts of the window which can be opened are more	
than 1.7 metres above the floor of the room in which the window is installed.	

Conditions:

1. The brickwork, roof tile, bond, mortar, detailing, guttering, soffits and other external decorations of the approved extension/alterations must match the existing dwelling/building in relation to colour and texture.

REASON: To comply with Condition B.2 of Class B of Part 1 of Schedule 2 of the Town and Country Planning (General Permitted Development) (England) Order 2015 as amended.

DRAWING NUMBERS

2. The development/works shall not be started and completed other than in accordance with the approved plans and details:

Plan Number	Revision Number	Details	Received Date
4316-OS2		Block Plan	11 January 2018
4316-OS1		Site Location Plan	11 January 2018
4316 P01	Α	Plans and Elevations as Proposed	11 January 2018
4316-E01		Plans and Elevations as Existing	11 January 2018

REASON: To ensure that the development is carried out in accordance with the approved plans and details.

Determined By:

Mr Bright Owusu 8 March 2018