

1 - West Elevation - View 1 1 : 200



2 - West Elevation - View 2 1 : 200

Site road

10m

15m

20m

MATERIALS KEY

WALLS

3

Limestone laid in Ashlar panels with a honed finish. Horizontal limestone bands at floor level.

2 Flush Limestone coping to head of external walls (once weathered).

Decant Building: Brickwork - Mid-grey brickwork from the Petersen Tegl range or equally approved with light buff lightly recessed mortar joint. Brick reference D91.

4 Decant Building: Limestone pilasters and horizontal bands at floor level.

WINDOWS / CURTAIN WALLING

Bronze anodised aluminium framed clear Double Glazed window and curtain walling system.

6 Limestone sloping cills to windows.

Transluscent glazing to areas which require privacy.

Bronze anodised aluminium perforated panel to window head to provide fresh air intake.

ROOF

Glulam and CLT roof structure with anodised bronze steel edge channel.

_____ 10

Re-inforced bitumen felt roof covering.

PLANT ROOM SCREENING

11 Bronzed aluminium screening to rooftop plant.

DOORS

12 Aluminium doorset with bronze anodised aluminium finish.

ENTRANCE STRUCTURE

13 Steel CHS entrance columns supporting the Glulam atrium roof - Finish Dark grey.

14

Conical column bases formed in pre-cast concrete.

North Decant Building					
Proposed Elevations Sheet 1 of 4					
VGA PRO 7645	DJECT NUMBER				L8
DRAWIN	g reference Q-VGA-H	IN-ZZ	-DR-AR-	00 681	RE PL
DRAWN	/ DATE	CHECK	ED / DATE	SCALE	
SC	MAY 21	MC	MAY 21	As indi	cate
	PI	_ANNI	NG ISSU	E	
scaled shour read togeth	ensions to be taken Ild be brought to the er and in conjunctio Iltant's information.	e attention of	the architect imme	diately. All drawi	ings sh
other consu					Sileeta



05/07/2021 16:17:49