

1	OB_00	_Heating	
	1 : 50		

Linked Files HQDTC-CON-ZZ-ZZ-M-S-00001_P05.rvt HQDTC-VGA-KB-XX-M3-A-10501-P02 Dog Kennels.rvt HQDTC-VGA-OB-XX-M3-A-10500_P08.rvt LEGEND UNDERFLOOR HEATING ZONE

	UNDERFLOOR HEATING ZONE
Τ	THERMOSTAT FOR UNDERFLOOR HEATING
S	THERMOSTAT FLOOR SENSOR

NOTES:

- 1. ALL DIMENSIONS IN MM.
- 2. DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT SPECIFICATIONS, DRAWINGS AND SCHEDULES.
- THIS DRAWING IS SUBJECT TO DESIGN DEVELOPMENT.
 UNDERFLOOR HEATING SPECIALIST TO DEVELOP THIS
- ONDERFLOOR HEATING SPECIALIST TO DEVELOP THIS CONCEPT DRAWING INTO A FULL DESIGN ONCE APPOINTED AT STAGE 5.
 EACH UFH ZONE WILL BE PROVIDED WITH A ROOM
- THERMOSTAT CONNECTED BACK TO AN UNDERFLOOR HEATING WIRING CENTRE. THE UFH WIRING CENTRE WILL OPEN AND CLOSE ACTUATORS ON THE UFH PIPEWORK LOOPS DEPENDANT ON HEAT DEMAND.
 6. THE UFH MANIFOLD WILL INCLUDE LOCAL MIXING AND A
- THE UFH MANIFOLD WILL INCLUDE LOCAL MIXING AND A CIRCULATION PUMP
 DETAILED UFH DESIGN TO AVOID RUNNING UNDER WORKT(
- 7. DETAILED UFH DESIGN TO AVOID RUNNING UNDER WORKTOPS AND SANITARYWARE ITEMS THAT FIX INTO THE FLOOR.

ABBREVIATIONS:

EV	-	EXPANSION VESSEL
CB	-	COMBI BOILER
PRU	-	PRESSURIZATION UNIT
UFHM	-	UNDERFLOOR HEATING MANIFOLD

P03	24/08/23		R STAGE 4A APPROVAL. NTS CLOUDED.	PM	PW							
P02	06/01/23		OUDED. ISSUED FOR A APPROVAL.	PM	PW							
P01	30/09/22		EVIEW & COMMENT	PM	PW/R W							
REV	DATE		CRIPTION	DRN	CHKD							
A^^REVISION HISTORY DRAWING TITLE:												
HEATING SYSTEMS												
			- GROUND FL		.							
			OUT	.001	`							
			1 OF 1									
DRAW				204								
	HQD		3-00-DR-M-21									
REV:		STAGE:		ATUS:								
	P03	STAC	GE 4A	S4								
STATU	JS DESCRI	PTION:										
	ISSL	JED FOR ST	AGE APPROV	'AL								
DATE:		SCALE (@A1):	DRAWN BY: CH	ECKED I	BY:							
24	4/08/23	1 : 50	PM	PW								
CLIEN	T PROJECT	NUMBER:	GWC PROJECT NUMBE	R:								
	HQDTC 22040											
PROJI	ECT NAME:											
F	IQ REI	DEVELOPM	ENT DOG TRA	ININ	G							
		CEN	ITRE									
PROJ	ECT ADDRE	-SS [.]										
			onstabulary H(٦ ٦								
			onstabulary H(×								
	\\/		ugh Road	_								
			n City, AL8 6XI	-								
CLIEN	П:											
		_										
WILLMOTT DIXON												
	GREENWEBB CONSULTING ENGINEERS											
	CONSULTING ENGINEERS											
Eastlands Business Park, St Peter Road, Rugby, Warwickshire, CV21 3QP												
Email: info@green-webb.co.uk Tel: 02475 310459												
	DO NOT SCALE FROM THIS DRAWING											
С	C This drawing is copyright and may not be reproduced either in part or full without written permission from Green Webb Consultant Engineers Ltd.											