



WHITE UPVC WINDOWS
TO CONFORM TO BS BS6375 CLASS C
DOUBLE GLAZED ARGON FILLED LOW E SOFT COAT
28 MM HERMETICALLY SEALED UNITS
TO BS5713 AND BS6262
TO GIVE U - VALUE OF 1.5 W/M 2K

EXTERNAL WALLS
OUTER LEAF TO BE CLAY FACING BRICKWORK TO MATCH EX
CAVITY 100mm WITH 50 PARTIAL CAVITY WALL INSULATION
BY XTRATHERM THIN-R XT/CW TO BS EN
INNER LEAF 100 MM BLOCK 10N/Mmm
FINISHED WITH 12.5 MM PLASTER BRD ON DABS
STAINLESS STEEL WALL TIES 450 CENTRES VERTICALLY
AND 750 C/CS HORIZONTALLY EACH ROW STAGGERED

PROVIDE HORIZONTAL STRIP POLYMER HYLOAD D P C
TO BOTH LEAFS MIN 150 MM A/E/G/L
TO BE MATCHED TO EXISTING
NEW ROOF TILES TO MATCH EXISTING

FIRST FLOOR, FRONT, SIDE AND REAR EXTENSION

CHECK SIZES MUST BE TAKEN FROM SITE

Rev	Description	Chkd By	Date

DENNIS O'SHAUGHNESSY
262 BISHOPS RISE
HATFIELD HERTS AL100RL
Tel, 01707 258291

Job Ref. NEW FIRST FLOOR EXTENSION
Package No. PLANNING APPLICATION
Job No. 2016
File No. PROPOSED PLANS, ELEVATIONS SECTIONS

Drg Title: MR AND MRS BASYE
31 SELWYN CRESCENT
HATFIELD
HERTS AL109NL

Drawn By: DENNIS O'SHAUGHNESSY
Drawing No. A1 - 16 - 002
Scale: 1 - 50 Date: 15 - 06 - 2017