


2	
/	



T R	ESC OOKE	0 R	
A Bank Chambers, 2 Stel: 0333 900	B Group - Head Offi Church Street, Reigar	ce te, Surrey, RH2	
	0 4000mm 80	00 00mm 12000mr	n
ELEC GRO SER (BY M (BY M ELEC GRO ROU ELEPANEL RDM	NS ELECTRICAL ROU CTRICAL CONTRACTO OUP SCOPE) VICES PENETRATION MAIN CONTRACTOR) NS ELECTRICAL RISE CTRICAL CONTRACTO OUP SCOPE) RIGERATION, AIR CO OCIATED SERVICES TE (BY AB GROUP)	OR (<u>NOT</u> AB I THROUGH WA R BY MAINS OR (<u>NOT</u> AB NDITIONING & PIPE AND CABI	0
	C DETECTION PANEL		
LOCA	AL DISTRIBUTION BC	DARD	
			F
HANGER NOTES			E
SERVICE TO BE SU - BULK STOCK / - SALES AREA - • EVAPORATOR VAL	ERVICES ZONE DIMENSI PORTED AS FOLLOWS; AREA - HANGERS AT 1.5 HANGERS AT 1.50M @ VE BOARDS TO BE POS DLDROOM ROOFS TO AN P RODS Ø10mm.	IM @ CENTERS. CENTRES. BITIONED ON	
B LOW LEVEL SER	IVICES, SEE DETAIL 1. VICES SEE DETAIL 2. RATION THROUGH WALL PED AND EXTERNAL WAL	. TO BE MADE LS TO BE WEATH	D
BACK TO THE COM SLOPE REQUIRED HANGER, IF POSSI AS HIGH AS POSSI PROTECTION REQ AND RDM PANELS RAGES AN RACKIN PIPEWORK AND HA COLDSTORE ROOF	SHOULD BE INSTALLED IPRESSORS, TO IMPROV IS 30MM PER 10M OR 6M BLE. ALWAYS START WIT IBLE. UIRED TO INTERNAL REF WHEN LIKELY TO COME IG - BY MAIN CONTRACT ANGERS TO BE MINIMUM F.	E OIL RETURN. ID M LOWER EVERY FIGERATION RAC INTO CONTACT N OR. OR.	VEAL Y 2M NGER NGER VITH C
	DETAILS ssued for construction.		CW
			В
FOR C	ONSTRU		J
BOOKER HATFIE	ELD		
	UT - MAINS ELEC		
DATE: 02.09.2022		GINEER: CORNWELL REVIEWED BY: PC / ST	A
CONTRACT NUMBER: QR 114481	scale: 1:200 @A0		
DERIVED FILE: 14-1021-3000	REVISION: A	04.1	