

Property/ room ref.	Room usage	Window ref.	Existing VSC(%)	Submitted scheme		Amended scheme	
				Proposed VSC(%)	*Factor of former value	Proposed VSC(%)	*Factor of former value
PARKHOUSE COURT							
1st Floor							
R1	LKD	W1	27.77	12.48	0.45	16.59	0.60
R2	BEDROOM	W2	35.02	17.89	0.51	22.02	0.63
R3	BEDROOM	W3	36.66	18.46	0.50	22.61	0.62
R4	LKD	W4	25.36	11.80	0.47	15.67	0.62
R5	LKD	W5	25.58	11.63	0.45	15.53	0.61
R6	BEDROOM	W6	37.51	19.30	0.51	23.60	0.63
R7	BEDROOM	W7	38.29	22.87	0.60	26.39	0.69
R8	BEDROOM	W8	36.19	21.37	0.59	24.73	0.68
R9	LKD	W9	29.96	15.96	0.53	19.16	0.64
R10	BEDROOM	W10	36.21	29.39	N/A	30.84	N/A
R11	LKD	W11	28.73	22.93	0.80	24.19	0.84
2nd Floor							
R1	LKD	W1	32.05	15.58	0.49	20.10	0.63
R2	BEDROOM	W2	36.42	20.27	0.56	24.81	0.68
R3	BEDROOM	W3	36.39	20.73	0.57	25.25	0.69
R4	LKD	W4	29.57	14.70	0.50	18.94	0.64
R5	LKD	W5	29.94	14.60	0.49	18.86	0.63
R6	BEDROOM	W6	37.23	21.59	0.58	26.21	0.70
R7	BEDROOM	W7	37.50	24.30	0.65	28.07	N/A
R8	BEDROOM	W8	35.79	23.01	0.64	26.62	0.74
R9	LKD	W9	30.19	18.04	0.60	21.46	0.71
R10	BEDROOM	W10	35.75	29.90	N/A	31.46	N/A
R11	LKD	W11	28.84	23.86	0.83	25.18	0.87
3rd Floor							
R1	LKD	W1	31.28	17.90	0.57	22.72	0.73
R2	BEDROOM	W2	30.23	17.13	0.57	21.92	0.73
R3	BEDROOM	W3	27.28	14.68	0.54	19.40	0.71
R4	LKD	W4	29.13	17.11	0.59	21.53	0.74
R5	LKD	W5	29.27	16.90	0.58	21.32	0.73
R6	BEDROOM	W6	27.67	15.12	0.55	19.87	0.72
R7	BEDROOM	W7	27.14	16.52	0.61	20.35	0.75
R8	BEDROOM	W8	30.04	19.63	0.65	23.30	0.78
R9	LKD	W9	29.34	19.42	0.66	22.92	0.78
R10	BEDROOM	W10	26.89	22.10	0.82	23.70	0.88
R11	LKD	W11	28.06	23.98	0.85	25.34	0.90