

Unit 27, Cygnus Business Centre Dalmeyer Road, London, NW10 2XA Tel. 020 8451 7833

For and on behalf of Oshwal Association of the UK

Details pursuant to Condition 1 of a Full Application, reference 6/2017/1268/FULL, dated 14 August 2017 for an Erection of a Storage building following demolition of Existing Structures at Oshwal Centre Coopers Lane Road Northaw Potters Bar EN6 4DG.



2 November 2017

Prepared by:

Naba Bati

Checked by:

Paolo Lancerotto

Saloria Architects Ltd

Contents:

Introduction

1.

2.	Description		page 3

3. Details pursuant to conditions page 3

Appendix A 4.

Drawing No. 6842-32-P0

page 3

Saloria Architects disclaims any responsibility to the client and others in respect of matters outside the scope of this report. This report has been prepared with reasonable skill, care and This report is confidential to the client and Saloria Architects accepts no responsibility of whatsoever nature to third parties to whom this report, or any part thereof is made known. Any such party relies upon the report at their own risk.

Introduction

1.0 Background

1.1 Saloria Architects has been engaged by the applicant, Oshwal Association in the UK to prepare the following Assessment which includes the details pursuant to Condition 1 of a Full Application reference 6/2017/FULL dated 14 August 2017 for an Erection of a Storage building following demolition of existing structures at Oshwal Centre Coopers Lane Road Northaw Potters Bar EN6 4DG.

2.0 Description

2.1 Condition 1 – Prior to Commencement; No development shall take place until samples of the materials to be used in the construction of the external surfaces of the building hereby granted have been submitted to and approved in writing by the Local Planning Authority. The development shall be implemented using the approved materials and subsequently, the approved materials shall not be changed.

3.0 Details pursuant to conditions

3.1 Introduction

3.1.1 The proposal seeks to respond to condition 1.

The intention is to show that it could be discharged before the commencement of the works. The following drawing No.6842-32-P0 also shows the original (ground) levels and proposed finished levels, which is intended to respond to **Condition No. 2 a)**.

3.2 Condition 1

- 3.2.1 The roof material for the proposed storage shall be Kingspan Spectrum Solid in Greenrock from KINGSPAN.
- 3.2.2 The external bricks for the walls shall be the same bricks used on the Oshwal Hall which is, Captial Brown Muilti Stock from IBSTOCK.
- 3.2.3 The retaining wall shall be Secura Grand in Bracken from TOBERMORE.
- 3.2.4 The external doors for the proposed storage shall be Steel Hinged Fire Rated Doors from GILGEN DOOR SYSTEM LTD.
- 3.2.5 The windows for the proposed storage shall be UPVC KF 220 in white from INTERNORM.

- 3.2.6 The gutter on the exterior of the proposed storage shall be The Legion pressed aluminium box joggle joint in black from ARP.
- 3.2.7 The materials listed below can be provided in samples upon request.

Material Samples:



Secura Grand in Bracken -TOBERMORE



Captial Brown Muilti Stock - IBSTOCK.



Greenrock RAL 6003

Kingspan Spectrum Solid in Greenrock - KINGSPAN



Steel Hinged Fire Rated Doors in light grey from GILGEN DOOR SYSTEM LTD.



UPVC KF 220 in white from INTERNORM



The Legion pressed aluminium box joggle joint in black from ARP

Appendix A – Drawing 6842-32-P0							

