

191026-PD-20 Tree Schedule

191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T1	1 Quercus robur (English Oak)	21.0	60 COM	2	8.0		7.0		8.5		7.5		5.0		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Ivy or climbing plant.	19/11/2021	164.0	7.2	40+	B1/B2
Tree T2	1 Quercus robur (English Oak)	21.0	28	1	2.0		3.0		6.0		6.0		5.5		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	19/11/2021	35.5	3.4	20-40	B2
Tree T3	1 Quercus robur (English Oak)	21.0	33	1		6.0		4.5		5.5		7.0	7.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	19/11/2021	49.3	4.0	20-40	B1/B2
Tree T4	1 Quercus robur (English Oak)	17.0	25	1		4.5		4.0		2.0		2.0	5.5		Early Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	19/11/2021	28.3	3.0	20-40	B2
Tree T5	1 Quercus robur (English Oak)	24.0	75	1		9.0		11.0		11.0		9.0	4.5	5.5 S	Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Branch weight - Heavy. Form - Spreading crown.	19/11/2021	254.5	9.0	40+	A1/A2
Tree T6	1 Quercus robur (English Oak)	17.0	40	1	1.5		8.0		7.0		5.0		5.0	5.5 S	Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Deadwood - Minor. Suppressed crown - Minor.	19/11/2021	72.4	4.8	20-40	B2
Tree T7	1 Quercus robur (English Oak)	17.0	38	1	4.0		6.0		7.5		6.0		5.5		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Suppressed crown - Minor.	19/11/2021	65.3	4.6	20-40	B2
Tree T8	1 Quercus robur (English Oak)	20.0	25	1	5.0		1.5		5.5		3.5		6.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	19/11/2021	28.3	3.0	20-40	B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By

191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T9	1 Quercus robur (English Oak)	21.0	49 COM	2	6.5		5.0		7.5		5.0		5.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Stems - Sub-dominant.	19/11/2021	110.8	5.9	20-40	B1/B2
Tree T10	1 Quercus robur (English Oak)	21.0	54	1		7.5		8.0		9.5		8.0	4.5	5 SW	Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Competition - Adjacent trees. Deadwood - Minor. Form - Spreading crown.	19/11/2021	131.9	6.5	40+	A1/A2
Tree T11	1 Quercus robur (English Oak)	18.0	45	1		5.5		6.0		7.0		7.0	7.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Decay / structural defect in crown limb / limbs - Localised. Rubbing limbs.	19/11/2021	91.6	5.4	20-40	B1/B2
Tree T12	1 Quercus robur (English Oak)	12.0	28	1	4.0		5.0		7.0		3.0		6.0		Early Mature	Structural condition Poor. Physiological condition Fair. Competition - Adjacent trees. Form - Poor crown structure. Rubbing limbs. Suppressed crown - Minor.	19/11/2021	35.5	3.4	10-20	C2
Tree T13	1 Quercus robur (English Oak)	25.0	86 COM	2		10.0		6.5		11.5		9.5	8.0	8.5 SW	Mature	Structural condition Fair. Physiological condition Fair. Branch weight - Heavy. Competition - Adjacent trees. Deadwood - Minor. Form - Spreading crown.	19/11/2021	334.8	10.3	40+	A1/A2
Tree T14	1 Quercus robur (English Oak)	23.0	105 COM	2		13.0		13.0		13.0		10.0	5.5	5.5 S	Mature	Structural condition Fair. Physiological condition Good. Base / stems obscured - Vegetation. Branch - Broken. Competition - Adjacent trees. Deadwood - Major. Form - Spreading crown. Ivy or climbing plant. Stems - Sub-dominant.	19/11/2021	506.0	12.7	40+	A1/A2
Tree T15	1 Quercus robur (English Oak)	22.0	74 COM	2	7.0		10.0		4.0		7.0		8.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	10/01/2020	249.1	8.9	40+	A2
Tree T16	1 Quercus robur (English Oak)	19.0	55	1	3.0		6.0		8.5		4.0		5.5	4.5 SE	Mature	Structural condition Fair. Physiological condition Good. Competition - Adjacent trees. Leaning trunk - Minor. Unbalanced crown - Minor.	10/01/2020	136.8	6.6	40+	B1/B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T17	Quercus robur (English Oak)	17.0	40	1	6.0	6.5	7.0	5.0				5.5		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	10/01/2020	72.4	4.8	20-40	B1/B2	
Tree T18	1 Quercus robur (English Oak)	17.0	38	1	3.0	3.5	6.0	5.0				5.5		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Deadwood - Minor.	10/01/2020	65.3	4.6	20-40	B2	
Tree T19	1 Carpinus betulus (Hornbeam)	15.0	69 COM	3	9.0	9.0	9.0	9.0				3.0		Mature	Structural condition Fair. Physiological condition Good. Base / stems obscured - Vegetation. Decay / structural defect - Base. Form - Spreading crown.	10/01/2020	217.1	8.3	40+	A1/A2	
Tree T20	1 Quercus robur (English Oak)	20.0	70	1	9.5	9.0	10.5	8.0				4.0	4 SW	Mature	Structural condition Fair. Physiological condition Good. Base / stems obscured - Vegetation. Form - Spreading crown. Ivy or climbing plant.	10/01/2020	221.7	8.4	40+	A1/A2	
Tree T21	1 Quercus robur (English Oak)	20.0	70	1	9.0	11.0	9.0	9.0				5.0		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Recent. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	10/01/2020	221.7	8.4	40+	A1/A2	
Tree T22	1 Carpinus betulus (Hornbeam)	14.0	97 COM	7		8.0	10.0	9.0	7.0			3.0		Mature	Structural condition Fair. Physiological condition Good. Coppice stool - Coppice origin / Mature stems. Form - Spreading crown. Multi-stemmed.	10/01/2020	433.5	11.7	40+	A1/A2/ A3	
Tree T23	1 Carpinus betulus (Hornbeam)	19.0	59	1	8.0	6.0	7.0	8.0				4.5		Mature	Structural condition Fair. Physiological condition Good. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	10/01/2020	157.5	7.1	40+	A1/A2	
Tree T24	1 Aesculus hippocastanum (Horse Chestnut)	19.0	80	1		9.0	9.5	9.5	7.0			5.0		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Branch weight - Heavy. Competition - Adjacent trees. Deadwood - Minor. Decay / structural defect - Bole. Form - Spreading crown.	10/01/2020	289.5	9.6	20-40	B1/B2	

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T25	1 Aesculus hippocastanum (Horse Chestnut)	14.0	69	1		6.0		8.0		6.5		6.5	3.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Decay / structural defect in crown limb / limbs - Localised. Decay / structural defect - Base. Flamullina velutipes at base on east side (2018).	10/01/2020	215.4	8.3	10-20	C1/C2
Tree T26	1 Quercus robur (English Oak)	20.0	59	1	9.0		8.5		9.0		9.5		4.0		Mature	Structural condition Good. Physiological condition Good. Competition - Adjacent trees.	10/01/2020	157.5	7.1	40+	A1/A2
Tree T27	1 Quercus robur (English Oak)	16.0	78 COM	5	6.0		6.0		6.0		6.0		5.0		Mature	Structural condition Fair. Physiological condition Fair. Crown reduction - Recent. Multi-stemmed.	10/01/2020	277.1	9.4	20-40	B1
Tree T28	1 Fraxinus excelsior (Ash)	14.0	33 COM	2		3.0		6.0		3.0		2.0	5.0		Mature	Structural condition Poor. Physiological condition Fair. Arboricultural work - Recent. Base / stems obscured - Vegetation. Decline - Evident / observed. Deadwood - Major. Decay / structural defect - Bole. Form - Poor crown structure. Ivy or climbing plant.	10/01/2020	50.9	4.0	0-10	U
Tree T29	1 Fraxinus excelsior (Ash)	16.0	43	1		5.5		6.0		7.0		7.0	8.0		Mature	Structural condition Fair. Physiological condition Fair. Form - Spreading crown.	10/01/2020	83.6	5.2	10-20	C1
Tree T30	1 Fraxinus excelsior (Ash)	13.0	33	1	4.0		4.0		4.0		4.0		6.0		Early Mature	Structural condition Fair. Physiological condition Fair. Crown reduction - Recent.	10/01/2020	49.3	4.0	10-20	C1

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Woodland W31	10 Fagus sylvatica (Common Beech)	24.0	45 AVE									5.0		Mature	Structural condition Fair. Physiological condition Good. Position estimated - not on topographical survey. Numbers estimated.	19/11/2021			40+	A2/A3	
	85 Carpinus betulus (Hornbeam)																				
	15 Betula pendula (Silver Birch)																				
	100 Quercus robur (English Oak)																				
Tree T32	1 Quercus robur (English Oak)	18.0	46	1	10.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Epicormic growth - Bole / principal stems.	10/01/2020	95.7	5.5	40+	B1/B2	
Tree T33	1 Quercus robur (English Oak)	18.0	45	1		3.0	9.0	9.0	4.0	4.0	4.0	4.0		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Recent. Competition - Adjacent trees. Leaning trunk - Minor. Suppressed crown - Minor. Unbalanced crown - Major.	10/01/2020	91.6	5.4	20-40	B1/B2	
Tree T34	1 x Cupressocyparis leylandii (Leyland Cypress)	12.0	30	1	3.0	3.0	3.0	3.0	3.0	3.0	3.0	2.0		Mature	Structural condition Fair. Physiological condition Good. Position estimated - not on topographical survey.	19/11/2021	40.7	3.6	20-40	B1/B2	
Tree T35	1 x Cupressocyparis leylandii (Leyland Cypress)	19.0	35	1	3.0	3.0	3.0	3.0	3.0	3.0	3.0	5.0		Mature	Structural condition Fair. Physiological condition Good. Position estimated - not on topographical survey.	19/11/2021	55.4	4.2	20-40	B1/B2	
Tree T36	1 x Cupressocyparis leylandii (Leyland Cypress)	18.0	45	1	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Recent. Position estimated - not on topographical survey.	19/11/2021	91.6	5.4	20-40	B1/B2	

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T37	1 x Cupressocyparis leylandii (Leyland Cypress)	21.0	60	1	5.5		5.5		5.5		5.5		6.0		Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Recent. Decay / structural defect in crown limb / limbs - Localised. Decay / structural defect - Bole. Position estimated - not on topographical survey.	10/01/2020	162.9	7.2	20-40	B1/B2
Hedge H38	35 x Cupressocyparis leylandii (Leyland Cypress) 15 Salix sp. (Willow sp.)	11.0	25 AVE										5.0		Mature	Structural condition Fair. Physiological condition Good. Access to inspect base - Restricted / obscured. Arboricultural work - Recent. Base / stems obscured - Structure. Base / stems obscured - Vegetation. Competition - Adjacent trees. Off-site vegetation. Numbers estimated.	19/11/2021			20-40	B2
Tree T39	1 Carpinus betulus (Hornbeam)	22.0	77 COM	2		7.5		10.0		8.0		3.0		Mature	Structural condition Fair. Physiological condition Good. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	273.7	9.3	20-40	B1/B2	
Tree T40	1 Carpinus betulus (Hornbeam)	21.0	73 COM	6		11.0		6.0		6.0		8.5		Mature	Structural condition Fair. Physiological condition Good. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant. Leaning trunk - Major. Unbalanced crown - Major.	19/11/2021	244.3	8.8	20-40	B1/B2	
Tree T42	1 Quercus robur (English Oak)	21.0	76	1	9.0		4.0		5.0		9.5		2.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Form - Spreading crown.	19/11/2021	261.3	9.1	40+	A1/A2
Tree T43	1 Quercus robur (English Oak)	20.0	65	1	6.0		6.5		4.0		7.5		3.5	4 N	Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Recent. Competition - Adjacent trees. Decay / structural defect in crown limb / limbs - Localised.	19/11/2021	191.1	7.8	20-40	B1/B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T44	1 Quercus robur (English Oak)	15.0	58	1	6.0		4.0		6.0		5.0		4.0		Mature	Structural condition Poor. Physiological condition Fair. Arboricultural work - Recent. Competition - Adjacent trees. Decay / structural defect in crown limb / limbs - Localised. Deadwood - Minor.	19/11/2021	152.2	7.0	20-40	C1/C2
Tree T45	1 Carpinus betulus (Hornbeam)	12.0	35	1	8.0		8.0		6.0		4.0		4.5	4 N	Mature	Structural condition Fair. Physiological condition Good. Arboricultural work - Recent. Competition - Adjacent trees. Form - Spreading crown.	19/11/2021	55.4	4.2	40+	B1/B2
Tree T46	1 Quercus robur (English Oak)	15.0	53	1		5.5		5.5		5.0		5.5		5.5 S	Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Recent. Die-back - Upper crown. Deadwood - Minor.	19/11/2021	127.1	6.4	20-40	B1/B2
Tree T47	1 Prunus cerasifera (Cherry Plum (Myrobalan))	7.0	16	1	3.0		2.0		1.5		2.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	19/11/2021	11.6	1.9	10-20	C1
Tree T48	1 Populus x canadensis (Hybrid Black Poplars)	23.0	61	1	9.0		8.5		8.0		6.5		6.0		Mature	Structural condition Fair. Physiological condition Good. Competition - Adjacent trees. Decay / structural defect - Base. Leaning trunk - Minor. Pruning wounds - Decayed.	19/11/2021	168.3	7.3	20-40	B1/B2
Tree T49	1 Aesculus hippocastanum (Horse Chestnut)	12.0	36	1	5.0		4.0		2.0		5.5		3.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	19/11/2021	58.6	4.3	10-20	C1/C2
Tree T50	1 Aesculus hippocastanum (Horse Chestnut)	12.0	56	1	9.0		3.0		0.5		5.5		3.0		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Recent. Competition - Adjacent trees. Suppressed crown - Major. Unbalanced crown - Major.	10/11/2020	141.9	6.7	10-20	C1/C2
Tree T51	1 Aesculus hippocastanum (Horse Chestnut)	13.0	57	1		6.5		4.5		1.5		1.5	3.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Suppressed crown - Minor. Unbalanced crown - Minor.	10/11/2020	147.0	6.8	10-20	C1/C2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T52	1 Quercus robur (English Oak)	11.0	52	1	6.5	7.0	6.5	4.5				4.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Crown reduction - Recent. Die-back - Upper crown. Deadwood - Minor. Physiological stress.	19/11/2021	122.3	6.2	10-20	C1/C2	
Tree T53	1 Quercus robur (English Oak)	11.0	42	1	4.5	2.5	5.5	5.5				4.0		Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Recent. Competition - Adjacent trees. Die-back - Upper crown. Decay / structural defect - Bole. Physiological stress. Shedding limb / limbs - Historic.	19/11/2021	79.8	5.0	10-20	C1/C2	
Tree T54	1 Fraxinus excelsior (Ash)	10.0	30	1	3.0	3.0	3.0	3.0				4.0		Early Mature	Structural condition Poor. Physiological condition Fair. Crown reduction - Recent. Form - Poor crown structure. Root environment - Restricted.	19/03/2020	40.7	3.6	10-20	C1	
Tree T55	1 Platanus x hispanica (London Plane)	10.0	30	1	8.0	4.5	6.0	7.5				4.5		Early Mature	Structural condition Fair. Physiological condition Poor. Arboricultural work - Historic. Physiological stress. Root environment - Restricted.	10/11/2020	40.7	3.6	10-20	C1	
Tree T56	1 Platanus x hispanica (London Plane)	9.0	30	1	6.0	5.5	6.0	4.0				4.5		Early Mature	Structural condition Fair. Physiological condition Poor. Arboricultural work - Historic. Physiological stress. Root environment - Restricted.	10/11/2020	40.7	3.6	10-20	C1	
Tree T57	1 Acer platanoides (Norway Maple)	4.5	5	1	0.5	0.5	0.5	0.5				2.0		Young	Structural condition Good. Physiological condition Fair. Staked tree / trees. Young planted tree / trees.	19/03/2020	1.1	0.6	20-40	C1	
Tree T58	1 Acer campestre (Field Maple)	4.5	5	1	0.5	0.5	0.5	0.5				2.0		Young	Structural condition Good. Physiological condition Fair. Staked tree / trees. Young planted tree / trees.	19/03/2020	1.1	0.6	20-40	C1	
Tree T59	1 Fraxinus pennsylvanica (Red (Green) Ash)	7.0	24	1	3.0	3.0	3.0	3.0				4.5		Early Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Root environment - Restricted.	19/03/2020	26.1	2.9	10-20	C1/C2	

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T60	1 Tilia sp. (Lime sp.)	9.0	30	1		3.5		4.0		3.0		3.5	4.0		Early Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Bark exudation. Decay / structural defect - Bole. Epicormic growth - Base / bole / principal stems. Leaning trunk - Minor. Root environment - Restricted.	19/03/2020	40.7	3.6	10-20	C1/C2
Group G61	4 Laurocerasus lusitanica (Portugal Laurel)	7.0	20 AVE										3.0		Mature	Structural condition Fair. Physiological condition Good. Competition - Adjacent vegetation.	10/01/2020			10-20	C2
Tree T62	1 Fraxinus excelsior (Ash)	23.0	77 COM	2	7.0		6.0		9.0		6.0		8.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	273.7	9.3	20-40	B2
Tree T63	1 Carpinus betulus (Hornbeam)	21.0	33 COM	2	7.0		1.0		2.0		4.0		3.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	50.9	4.0	20-40	B2
Tree T64	1 Quercus robur (English Oak)	22.0	90	1		3.0		8.0		12.0		8.0	5.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Leaning trunk - Minor.	19/11/2021	366.4	10.8	40+	B2
Tree T65	1 Carpinus betulus (Hornbeam)	21.0	56 COM	8	6.0		4.0		5.0		4.0		0.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Not possible. Base / stems obscured - Vegetation. Ivy or climbing plant.	19/11/2021	144.8	6.8	20-40	B2
Tree T66	1 Quercus robur (English Oak)	14.0		1	1.0		1.0		1.0		1.0				Mature	Structural condition Poor. Physiological condition Dead. Dead tree / trees.	19/11/2021			0-10	U
Tree T67	1 Carpinus betulus (Hornbeam)	20.0	30	1	2.0		1.0		2.0		3.0		1.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	40.7	3.6	40+	B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T68	1 Carpinus betulus (Hornbeam)	21.0	45	1	5.0		3.0		1.5		3.0		1.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	91.6	5.4	40+	B2
Tree T69	1 Carpinus betulus (Hornbeam)	18.0	49 COM	2	1.0		4.5		8.0		2.0		1.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	109.7	5.9	40+	B2
Tree T70	1 Carpinus betulus (Hornbeam)	22.0	40	1	8.5		4.0		1.0		1.0		5.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	72.4	4.8	40+	B2
Tree T71	1 Carpinus betulus (Hornbeam)	21.0	35	1	8.5		4.0		1.0		1.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	55.4	4.2	40+	B2
Tree T72	1 Carpinus betulus (Hornbeam)	22.0	80 COM	4		8.5		6.0		5.5		7.0	1.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	289.5	9.6	40+	B2
Tree T73	1 Quercus robur (English Oak)	7.0		1	1.0		1.0		1.0		1.0				Mature	Structural condition Poor. Physiological condition Dead. Dead tree / trees.	19/11/2021			0-10	U
Tree T74	1 Quercus robur (English Oak)	7.0		2	1.0		1.0		1.0		1.0				Mature	Structural condition Poor. Physiological condition Dead. Dead tree / trees.	19/11/2021			0-10	U

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T75	1 Carpinus betulus (Hornbeam)	21.0	49 COM	2	11.0		5.0		1.0		6.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Decay / structural defect - Bole. Ivy or climbing plant. Rubbing limbs.	19/11/2021	110.8	5.9	40+	B2
Tree T76	1 Carpinus betulus (Hornbeam)	16.0	40	1	4.0		4.0		4.0		4.0		3.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	72.4	4.8	40+	B2
Tree T77	1 Quercus robur (English Oak)	21.0	95	1	7.0		7.0		10.0		7.0		0.0		Mature	Structural condition Good. Physiological condition Fair. Base / stems obscured - Vegetation. Epicormic growth - Base / bole / principal stems. Form - Spreading crown.	19/11/2021	408.3	11.4	40+	A2
Tree T78	1 Carpinus betulus (Hornbeam)	12.0	27	1	2.0		9.5		4.0		1.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Leaning trunk - Major.	19/11/2021	33.0	3.2	40+	B2
Tree T79	1 Carpinus betulus (Hornbeam)	15.0	40 COM	3		6.0		8.0		3.0	2.0		1.5		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant. Leaning trunk - Major.	19/11/2021	73.0	4.8	40+	B2
Tree T80	1 Carpinus betulus (Hornbeam)	15.0	31	1	3.5		4.5		5.5		4.0		2.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	19/11/2021	43.5	3.7	40+	B2
Tree T81	1 Quercus robur (English Oak)	21.0	105	1	8.5		9.5		10.0		6.0		1.5		Mature	Structural condition Good. Physiological condition Fair. Base / stems obscured - Vegetation. Buttresses / buttress roots - Major adaptive growth / strong development. Epicormic growth - Bole / principal stems. Form - Spreading crown. Ivy or climbing plant.	19/11/2021	498.8	12.6	40+	A2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T82	1 Fraxinus excelsior (Ash)	5.0	10 COM	4	3.0		2.0		1.0		2.0		1.0		Mature	Structural condition Fair. Physiological condition Fair. Multi-stemmed. Natural regeneration. Position estimated - no topographical survey information.	19/11/2021	4.5	1.2	10-20	C2
Tree T83	1 Fraxinus excelsior (Ash)	8.0	15	1	4.0		2.0		1.0		2.0		1.0		Mature	Structural condition Fair. Physiological condition Fair. Natural regeneration. Position estimated - no topographical survey information.	19/11/2021	10.2	1.8	10-20	C2
Tree T84	1 Carpinus betulus (Hornbeam)	21.0	69 COM	3		6.0		5.0		9.5		6.0	0.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	217.1	8.3	40+	B2
Tree T85	1 Carpinus betulus (Hornbeam)	21.0	50	1		4.0		9.5		3.0		2.0	3.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	113.1	6.0	40+	B2
Tree T86	1 Carpinus betulus (Hornbeam)	21.0	52 COM	2	6.0		4.0		6.0		7.0		0.5		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	123.3	6.3	40+	B2
Tree T87	1 Quercus robur (English Oak)	9.0	35	1		1.0		6.0		6.0		1.0	4.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Competition - Adjacent trees. Position estimated - no topographical survey information.	19/11/2021	55.4	4.2	20-40	B2
Tree T88	1 Quercus robur (English Oak)	13.0	60 COM	4	1.0		5.0		6.0		3.0		4.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Multi-stemmed.	19/11/2021	162.9	7.2	20-40	B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T89	1 Corylus avellana (Common Hazel)	7.5	44 COM	5	3.5		4.0		6.0		2.0	0.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Ivy or climbing plant. Multi-stemmed.	19/11/2021	90.5	5.4	40+	B2	
Tree T90	1 Carpinus betulus (Hornbeam)	13.0	60 COM	4		6.0		6.0		4.0	4.5	3.0		Mature	Structural condition Fair. Physiological condition Fair. Access to inspect base - Restricted / obscured. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	162.9	7.2	40+	B2	
Tree T91	1 Carpinus betulus (Hornbeam)	22.0	80	1	11.5		6.5		9.0		12.0	0.0		Mature	Structural condition Fair. Physiological condition Fair. Buttresses / buttress roots - Major adaptive growth / strong development. Decay / structural defect - Base. Decay / structural defect - Bole.	19/11/2021	289.5	9.6	40+	B2	
Tree T92	1 Corylus avellana (Common Hazel)	17.0	31	1		3.0		5.0		5.0	3.0	1.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	19/11/2021	43.5	3.7	40+	B2	
Tree T93	1 Corylus avellana (Common Hazel)	15.0	35	1		4.0		8.0		4.0	4.0	1.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	19/11/2021	55.4	4.2	40+	B2	
Tree T94	1 Quercus robur (English Oak)	15.0	80	1	8.0		3.0		4.5		11.0	1.5		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	289.5	9.6	40+	A2	
Tree T95	1 Quercus robur (English Oak)	21.0	80	1		3.0		8.0		9.0	3.0	1.5		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	289.5	9.6	40+	A2	
Tree T96	1 Quercus robur (English Oak)	23.0	94	1		6.5		9.5		4.0	6.0	1.5		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	399.7	11.3	40+	A2	

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Tree T97	1 Carpinus betulus (Hornbeam)	11.0	25	1	3.0		3.0		3.0		3.0		0.0		Mature	Structural condition Fair. Physiological condition Fair.	19/11/2021	28.3	3.0	40+	B2
Tree T98	1 Acer campestre (Field Maple)	5.0	15	1		3.0		3.5		3.0		5.5	0.0		Semi Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Leaning trunk - Major.	19/11/2021	10.2	1.8	20-40	C2
Tree T99	1 Carpinus betulus (Hornbeam)	16.0	55	1	7.5		5.0		5.0		10.0		1.0		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	136.8	6.6	40+	B2
Tree T100	1 Carpinus betulus (Hornbeam)	16.0	40	1		6.0		9.0		5.0		2.0	1.0		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	72.4	4.8	40+	B2
Tree T101	1 Carpinus betulus (Hornbeam)	13.0	30	1		4.0		4.0		3.0		4.5	0.0		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	40.7	3.6	40+	B2
Tree T102	1 Carpinus betulus (Hornbeam)	8.0	30	1		5.0		5.0		3.0		3.0	0.0		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	40.7	3.6	40+	B2
Tree T103	1 Quercus robur (English Oak)	20.0	76	1		4.0		6.0		5.0		7.0	3.5		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	261.3	9.1	40+	B2
Tree T104	1 Carpinus betulus (Hornbeam)	12.0	27	1	3.0		3.0		3.0		3.0		0.0		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees.	19/11/2021	33.0	3.2	20-40	B2
Tree T105	1 Quercus robur (English Oak)	23.0	76	1		3.0		3.5		5.0		8.5	3.5		Mature	Structural condition Fair. Physiological condition Fair. Base / stems obscured - Vegetation. Competition - Adjacent trees. Ivy or climbing plant.	19/11/2021	261.3	9.1	40+	B2

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



191026 - Campus West

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	CROWN SPREAD (m)								Crown clearance (m)	L.B. (m)	Life stage	Condition Notes	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
					N	NE	E	SE	S	SW	W	NW									
Hedge H107	100 Laurocerasus officinalis (Cherry Laurel)	2.5	15 AVE									0.0		Mature	Structural condition Fair. Physiological condition Good. Hedgerow - Maintained.	19/11/2021			20-40	B2	
Hedge H108	25 Laurocerasus officinalis (Cherry Laurel)	2.0	15 AVE									0.0		Mature	Structural condition Fair. Physiological condition Good. Hedgerow - Maintained.	19/11/2021			20-40	B2	
Tree T109	1 Carpinus betulus (Hornbeam)	13.0	55 COM	5	4.0	4.0	6.0	4.0				1.5		Mature	Structural condition Fair. Physiological condition Fair. Competition - Adjacent trees. Decay / structural defect - Base. Decay / structural defect - Bole.	19/11/2021	141.4	6.7	40+	B2	

Stem **green** Estimated value

Stem **AVE** Average stem diameter for tree groups

Stem **COM** Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Generated By



Category and definition	Criteria (including subcategories where appropriate)			Identification on plan
Trees unsuitable for retention (see note)				
Category U Those in such a condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years	<ul style="list-style-type: none"> * Trees that have a serious, irremediable, structural defect, such that their early loss is expected due to collapse, including those that will become unviable after removal of other category U trees (e.g. where, for whatever reason, the loss of companion shelter cannot be mitigated by pruning) * Trees that are dead or are showing signs of significant, immediate, and irreversible overall decline * Trees infected with pathogens of significance to health and/or safety of other trees nearby, or very low quality trees suppressing adjacent trees of better quality <p>NOTE Category U trees can have existing or potential conservation value which it might be desirable to preserve; see 4.5.7</p>			RED
	1 Mainly arboricultural qualities	2 Mainly landscape qualities	3 Mainly cultural values, including conservation	
Trees to be considered for retention				
Category A Trees of high quality with an estimated remaining life expectancy of at least 40 years	Tree that are particularly good examples of their species, especially if rare or unusual; or those that are essential components of groups or formal or semi-formal arboricultural features (e.g. the dominant and/or principal trees within an avenue).	Trees, groups or woodlands of particular visual importance as arboricultural and/or landscape features.	Trees, groups or woodlands of significant conservation, historical, commemorative or other value (e.g. veteran trees or wood-pasture).	GREEN
Category B Trees of moderate quality with an estimated remaining life expectancy of at least 20 years	Trees that might be included in category A, but are downgraded because of impaired condition (e.g. presence of significant though remediable defects, including unsympathetic past management and storm damage), such that they are unlikely to be suitable for retention for beyond 40 years; or trees lacking the special quality necessary to merit the category A designation.	Trees present in numbers, usually growing as groups or woodlands, such that they attract a higher collective rating than they might as individuals; or trees occurring as collectives but situated so as to make little visual contribution to the wider locality.	Trees with material conservation or other cultural value.	BLUE
Category C Trees of low quality with an estimated remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150 mm	Unremarkable trees of very limited merit or such impaired condition that they do not qualify in higher categories.	Trees present in groups or woodlands, but without this conferring on them significantly greater collective landscape value; and/or trees offering low or only temporary/transient landscape benefits.	Trees with no material conservation or other cultural value.	GREY