Prime Collection Control Contr

ALS AGE
S Joby 2024
Dear Sie Madam
Re: 28, BROADWATER BOAD, WELWYN GARDEN CITY, HERTFORDSHIRE , ALT 3BQ

Waste Comments
Thank you for consulting Thannes Water for the discharge of multers relating to PILING. Thannes Water confirms the piling condition referenced, can be discharged based on the information submitted.

These War for exvices the information provided and agree to declarge Conditions 12 & 35. This is board on the understanding that plaing identificion works are carried out in accordance with. Curson Phling, Works Pedage Plans, Project Number, 22/69 Revision 00. Place achieve These Water if these plans dange on that we can re-search te ink to or soorts. Please discharge Conditions 12 & 35. This is board on the search plant of the search plant o

Plan of Thanso Water appearing con the obtained drough our website as large-investible and finded practices contributed and the contributed and th

Yours faithfully Development Planning Department Development Planning Department
Development Planning,
Thanse Water,
Maple Lodge STW,
Denham Way,
Richtransworth,
WD3 950)
Tel (20 377 9998
Ernail: deveon.fearn@fhameewater.co.uk

This is a minimal stand, place do not ply to the made If you wish tropy to this small, send to stress the small production of the small production of

These West Linkel Energy under 1995(1) and These West Vision Linkel groups produce 2005(1) and These West Vision Linkel groups produce 2005(1) are required on Figure at the American of Concessor Concessor Vision and American Concessor Vision Linkel groups are sent to Any vision or opinion in this small are these of the author and with a required for Section American Concessor Vision Linkel groups are those of the product of the author and with a required of the angine for the sent to the author and and are the concessor of the author and and a reduce of the author and a reduce of t