

Block 10	UNIT		Refuse (litres)
	Unit No.	Type	
Ground Floor	10A-001	2B3P	170
	10A-002	3B5P	240
	10A-003	2B3P	170
	10A-004	2B3P w	170
	10B-001	3B4P	240
	10C-001	3B4P	240
	10C-002	1B2P	100
	10C-003	2B4P	170
First Floor	10A-101	2B3P	170
	10A-102	1B2P	100
	10A-103	1B2P	100
	10A-104	1B2P	100
	10A-105	1B2P w	100
	10A-106	2B3P	170
	10A-107	2B3P	170
	10A-108	2B3P w	170
	10B-101	1B2P	100
	10B-102	2B3P	170
	10B-103	3B4P	240
	10B-104	2B3P	170
	10B-105	2B3P	170
	10B-106	1B2P	100
	10C-101	1B2P	100
	10C-102	1B2P	100
10C-103	1B2P	100	
10C-104	2B4P	170	
10C-105	3B5P	240	
10C-106	2B4P	170	
Second Floor	10A-201	2B3P	170
	10A-202	1B2P	100
	10A-203	1B2P	100
	10A-204	2B4P	170
	10A-205	1B2P w	100
	10A-206	2B3P	170
	10A-207	2B3P	170
	10A-208	2B3P w	170
	10B-201	1B2P	100
	10B-202	2B4P	170
	10B-203	3B4P	240
	10B-204	2B3P	170
	10B-205	2B3P	170
	10B-206	1B2P	100
	10C-201	1B2P	100
	10C-202	1B2P	100
	10C-203	1B2P	100
10C-204	2B4P	170	
10C-205	2B3P	170	
10C-206	1B2P	100	
10C-207	2B4P	170	
Third Floor	10A-301	2B3P	170
	10A-302	1B2P	100
	10A-303	1B2P	100
	10A-304	2B4P	170
	10A-305	1B2P w	100
	10A-306	2B3P	170
	10A-307	2B3P	170

	10A-308	2B3P w	170
	10B-301	1B2P	100
	10B-302	2B4P	170
	10B-303	3B4P	240
	10B-304	2B3P	170
	10B-305	2B3P	170
	10B-306	1B2P	100
	10C-301	1B2P	100
	10C-302	1B2P	100
	10C-303	1B2P	100
	10C-304	2B4P	170
	10C-305	2B3P	170
	10C-306	1B2P	100
	10C-307	2B4P	170
Fourth Floor	10A-401	3B5P	240
	10A-402	3B4P	240
	10A-403	2B4P	170
	10A-404	1B2P w	100
	10A-405	2B3P	170
	10A-406	2B3P	170
	10A-407	2B4P	170
	10B-401	1B2P	100
	10B-402	2B4P	170
	10B-403	3B4P	240
	10B-404	2B3P	170
	10B-405	2B3P	170
	10B-406	1B2P	100
	10C-401	2B4P	170
	10C-402	1B2P	100
	10C-403	3B5P	240
Fifth Floor	10A-501	3B5P	240
	10A-502	3B4P	240
	10A-503	2B4P	170
	10A-504	1B2P w	100
	10A-505	2B3P	170
	10A-506	2B3P	170
	10A-507	2B4P	170
	10B-501	1B2P	100
	10B-502	2B4P	170
	10B-503	3B4P	240
	10B-504	2B3P	170
	10B-505	2B3P	170
	10B-506	1B2P	100
Sixth Floor	10A-601	3B5P	240
	10A-602	3B4P	240
	10A-603	3B4P	240
	10A-604	1B2P w	100
Seventh Floor	10A-701	3B5P	240
	10A-702	3B4P	240
	10A-703	3B4P	240
	10A-704	1B2P w	100
Block 10 Total	107		
	CORE	TOTAL Litres	Bins Required
	Core A	8290	8
	Core B	4990	5
	Core C	3840	4

Block 11	UNIT		Refuse (litres)	
	Unit No.	Type		
Ground Floor	11B-001	3B4P	240	
	11C-001	3B4P	240	
	11C-002	1B2P	100	
	11C-003	2B4P	170	
First Floor	11A-101	2B3P	170	
	11A-102	1B2P	100	
	11A-103	1B2P	100	
	11A-104	1B2P	100	
	11A-105	1B2P w	100	
	11A-106	2B3P	170	
	11A-107	2B3P	170	
	11A-108	2B3P w	170	
	11B-101	1B2P	100	
	11B-102	2B3P	170	
	11B-103	3B4P	240	
	11B-104	2B3P	170	
	11B-105	2B3P	170	
	11B-106	1B2P	100	
	11C-101	1B2P	100	
	11C-102	1B2P	100	
	11C-103	1B2P	100	
	11C-104	2B4P	170	
	11C-105	3B5P	240	
	11C-106	2B4P	170	
	Second Floor	11A-201	2B3P	170
		11A-202	1B2P	100
		11A-203	1B2P	100
		11A-204	2B4P	170
11A-205		1B2P w	100	
11A-206		2B3P	170	
11A-207		2B3P	170	
11A-208		2B3P w	170	
11B-201		1B2P	100	
11B-202		2B4P	170	
11B-203		3B4P	240	
11B-204		2B3P	170	
11B-205		2B3P	170	
11B-206		1B2P	100	
11C-201		1B2P	100	
11C-202		1B2P	100	
11C-203		1B2P	100	
11C-204		2B4P	170	
11C-205		2B3P	170	
11C-206		1B2P	100	
11C-207		2B4P	170	
Third Floor		11A-301	2B3P	170
		11A-302	1B2P	100
		11A-303	1B2P	100
		11A-304	2B4P	170
		11A-305	1B2P w	100
		11A-306	2B3P	170
	11A-307	2B3P	170	
	11A-308	2B3P w	170	
	11B-301	1B2P	100	
	11B-302	2B4P	170	
11B-303	3B5P	240		

	11B-304	2B3P	170
	11B-305	2B3P	170
	11B-306	1B2P	100
	11C-301	1B2P	100
	11C-302	1B2P	100
	11C-303	1B2P	100
	11C-304	2B4P	170
	11C-305	2B3P	170
	11C-306	1B2P	100
	11C-307	2B4P	170
Fourth Floor	11A-401	2B3P	170
	11A-402	1B2P	100
	11A-403	1B2P	100
	11A-404	2B4P	170
	11A-405	1B2P w	100
	11A-406	2B3P	170
	11A-407	2B3P	170
	11A-408	2B3P w	170
	11B-401	1B2P	100
	11B-402	2B4P	170
	11B-403	3B4P	240
	11B-404	2B3P	170
	11B-405	2B3P	170
	11B-406	1B2P	100
	11C-401	2B4P	170
	11C-402	1B2P	100
	11C-403	3B5P	240
Fifth Floor	11A-501	2B3P	170
	11A-502	1B2P	100
	11A-503	1B2P	100
	11A-504	2B4P	170
	11A-505	1B2P w	100
	11A-506	2B3P	170
	11A-507	2B3P	170
	11A-508	2B4P	170
Sixth Floor	11A-601	2B3P	170
	11A-602	1B2P	100
	11A-603	1B2P	100
	11A-604	2B4P	170
	11A-605	1B2P w	100
Seventh Floor	11A-701	2B3P	170
	11A-702	1B2P	100
	11A-703	1B2P	100
	11A-704	2B4P	170
	11A-705	1B2P w	100
Block 11 Total	101		
	CORE	TOTAL Litres	Bins Required
	Core A	6960	7
	Core B	4040	4
	Core C	3840	4

BLOCK 8	CORE	TOTAL Litres	Bins Required
	Core A	7570	7
	Core B	4170	4
	Core C	3840	4
	Core D	4170	4
BLOCK 9	CORE	TOTAL Litres	Bins Required
	Core A	7570	7
	Core B	3690	4
	Core C	3840	4
BLOCK 10	CORE	TOTAL Litres	Bins Required
	Core A	8290	8
	Core B	4990	5
	Core C	3840	4
BLOCK 11	CORE	TOTAL Litres	Bins Required
	Core A	6960	7
	Core B	4040	4
	Core C	3840	4
BLOCK 12	CORE	TOTAL Litres	Bins Required
	Core A	8290	8
	Core B	4040	4
	Core C	3840	4
BLOCK 13	CORE	TOTAL Litres	Bins Required
	Core A	6660	7
	Core B	3690	4
	Core C	3840	4