



- GENERAL NOTES:
- This drawing is to be read in conjunction with all relevant Architects and Engineers drawings and specifications.
 - Do not scale from this drawing. All details and dimensions and levels are to be checked by the contractor prior to commencement of construction. Any discrepancies are to be reported to the Engineer.
 - All levels are in meters & dimensions in millimeters unless noted otherwise.
 - Design based on topographical survey and CCTV survey information available at the time of design. All existing sewers, connections, pipe size and invert levels to be confirmed by contractor prior to commencement of works to ensure connectivity. Any variance from the information shown should be reported to the engineer for review.

KEY:

CATCHMENT AREA 1

ATTENUATION: STORAGE TANK: 331m³
SUBS POND: 20m
PERMEABLE PAVEMENT: 180m²
DISCHARGE RATE: MANHOLE SWDS VIA HYDROBRAKE AT 4.50 LIS
MANHOLE SWDS VIA HYDROBRAKE AT 2.00 LIS

CATCHMENT AREA 2

ATTENUATION: STORAGE TANK: 27m³
SUBS POND: 17m³
PERMEABLE PAVEMENT: 120m²
DISCHARGE RATE: MANHOLE SWDS VIA HYDROBRAKE AT 3.50 LIS
MANHOLE SWDS VIA HYDROBRAKE AT 2.00 LIS

CATCHMENT AREA 3

ATTENUATION: STORAGE TANK: 220m³
SUBS POND: 17m³
PERMEABLE PAVEMENT: 170m²
DISCHARGE RATE: MANHOLE SWDS VIA HYDROBRAKE AT 3.00 LIS
MANHOLE SWDS VIA HYDROBRAKE AT 2.00 LIS

PHASE 1 BOUNDARY

PR2	UPDATED FOLLOWING LLFA COMMENTS	10.01.20	LG	DH
PR1	ISSUED FOR INFORMATION	12.12.19	NH	MS
Rev	Description	Date	By	Chkd

Curtins

40 Compton Street, London, EC2V 8ND
020 7346 2280
london@curtins.com
www.curtins.com

CHIEF & SENIOR: Transport Planning / Environmental / Infrastructure / Construction / Commercial / Strategic / Principal Designer
Birmingham / Bristol / Cambridge / Cardiff / Glasgow / Leeds / Liverpool / London / Manchester / Nottingham / Southampton / Swansea / Wolverhampton

STAGE 4

SHREDDED WHEAT, METROPOLITAN

CATCHMENT AREAS

Size	AB	Date	20.04.2018	Drawn By:	N.HICKMAN	Designed By:	N.HICKMAN	Checked By:	M.SMITH
Scale	1:250								
Project No.	066571 - CUR - 00 - 00 - DR - C - 90011								-P02

